

Color Ampule

 Version number: SDS 2.0
 Replaces version of: 2022-01-15 (SDS 1)

Revision: 2023-03-12

SECTION 1: Identification

1.1 Product identifier

 Trade name Color Ampule

1.2 Relevant identified uses of the substance or mixture and uses advised against

 Relevant identified uses. paint

1.3 Details of the supplier of the safety data sheet

 AprintaPro GmbH
 Gutheil Schoder Gasse 17
 1230 Wien
 Austria

 Telephone: +43 1 997809410
 e-mail: office@aprintapro.com
 Website: <https://www.aprintapro.com>

 e-mail (competent person) office@aprintapro.com

1.4 Emergency telephone number

 Emergency information service +43 1 997809410
 This number is only available during the following office hours:
 Mon-Fri 08:00 - 16:00

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
A.4S	skin sensitization	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

 - Signal word warning

- Pictograms

GHS07



- Hazard statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

Color Ampule

Version number: SDS 2.0
Replaces version of: 2022-01-15 (SDS 1)

Revision: 2023-03-12

- Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P261	Avoid breathing mist/vapors/spray.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash it before reuse.
P363	Wash contaminated clothing before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

- Hazardous ingredients for labelling

2-hydroxyethyl methacrylate, 4,4'-Isopropylodenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2)

Derogations from labeling requirements

Labelling of packages where the contents do not exceed 125 ml

- Signal word warning

- Hazard pictogram(s)

Warning. GHS07



- Hazard statements

H317 May cause an allergic skin reaction.

- Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P261	Avoid breathing mist/vapors/spray.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P321	Specific treatment (see on this label).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

- Contains 2-hydroxyethyl methacrylate, 4,4'-Isopropylodenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2)

2.3 Other hazards

Hazards not otherwise classified

Contains epoxy constituents. May produce an allergic reaction.

Harmful to aquatic life with long lasting effects (GHS category 3: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.

Color Ampule

Version number: SDS 2.0
Replaces version of: 2022-01-15 (SDS 1)

Revision: 2023-03-12

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
2-hydroxyethyl methacrylate	CAS No 868-77-9	75 – < 90	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317
4,4'-Isopropylodenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	CAS No 25068-38-6	10 – < 25	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 HNOC009
Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2)	CAS No 16096-31-4 933999-84-9	5 – < 10	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 HNOC001 HNOC010

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

Color Ampule

Version number: SDS 2.0
Replaces version of: 2022-01-15 (SDS 1)

Revision: 2023-03-12

SECTION 5: Fire-fighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture**Hazardous combustion products**

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up**Advice on how to contain a spill**

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Recommendations**

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

Color Ampule

Version number: SDS 2.0
Replaces version of: 2022-01-15 (SDS 1)

Revision: 2023-03-12

7.2 Conditions for safe storage, including any incompatibilities

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

this information is not available

Relevant DNELs of components of the mixture					
CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
868-77-9	DNEL	4.9 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
868-77-9	DNEL	1.3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
16096-31-4 933999-84-9	DNEL	10.57 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
16096-31-4 933999-84-9	DNEL	10.57 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
16096-31-4 933999-84-9	DNEL	0.44 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
16096-31-4 933999-84-9	DNEL	6 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
16096-31-4 933999-84-9	DNEL	22.6 µg/cm ²	human, dermal	worker (industry)	chronic - local effects
16096-31-4 933999-84-9	DNEL	22.6 µg/cm ²	human, dermal	worker (industry)	acute - local effects

Relevant PNECs of components of the mixture					
CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
868-77-9	PNEC	0.482 mg/l	aquatic organisms	freshwater	short-term (single instance)
868-77-9	PNEC	0.482 mg/l	aquatic organisms	marine water	short-term (single instance)
868-77-9	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
868-77-9	PNEC	3.79 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
868-77-9	PNEC	3.79 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
868-77-9	PNEC	0.476 mg/kg	terrestrial organisms	soil	short-term (single instance)
16096-31-4 933999-84-9	PNEC	0.011 mg/l	aquatic organisms	freshwater	short-term (single instance)
16096-31-4 933999-84-9	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)
16096-31-4 933999-84-9	PNEC	1 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
16096-31-4 933999-84-9	PNEC	0.283 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
16096-31-4 933999-84-9	PNEC	0.028 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
16096-31-4 933999-84-9	PNEC	0.223 mg/kg	terrestrial organisms	soil	short-term (single instance)

Color Ampule

Version number: SDS 2.0
 Replaces version of: 2022-01-15 (SDS 1)

Revision: 2023-03-12

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

Nitrile

- Material thickness

≥0,35mm

- Breakthrough times of the glove material

>60 minutes (permeation: level 3)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Filtering half mask (EN 149). P1 (filters at least 80 % of airborne particles, color code: White).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	acc. to product description
Particle	not relevant (liquid)
Odor	odorless

Other safety parameters

PH (value)	6 – 8 (in aqueous solution: 100 % (w/w))
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	213 °C at 101.3 kPa
Flash point	not determined
Evaporation rate	not determined
Flammability	not relevant, (fluid)
Vapor pressure	0.08 hPa at 20 °C
Density	1.072 g/cm ³ at 25 °C
Vapor density	this information is not available
Solubility(ies)	not determined
Partition coefficient	
- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	375 °C

Color Ampule

Version number: SDS 2.0
Replaces version of: 2022-01-15 (SDS 1)

Revision: 2023-03-12

Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

9.2 Other information

Temperature class (USA, acc. to NEC 500)	T2 (maximum permissible surface temperature on the equipment: 300°C)
--	--

SECTION 10: Stability and reactivity**10.1 Reactivity**

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

If heated:

Exothermic polymerization

If exposed to light:

Exothermic polymerization.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

UV-radiation/sunlight.

10.5 Incompatible materials

Oxidizers, Reducing agents

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.
Hazardous combustion products: see section 5.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)**Acute toxicity**

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Color Ampule

Version number: SDS 2.0
Replaces version of: 2022-01-15 (SDS 1)

Revision: 2023-03-12

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
2-hydroxyethyl methacrylate	868-77-9	LC50	>100 mg/l	fish	96 h
2-hydroxyethyl methacrylate	868-77-9	EC50	380 mg/l	aquatic invertebrates	48 h
2-hydroxyethyl methacrylate	868-77-9	ErC50	836 mg/l	algae	72 h
Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2)	16096-31-4 933999-84-9	LC50	30 mg/l	fish	96 h
Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2)	16096-31-4 933999-84-9	EC50	23.1 mg/l	algae	48 h

Aquatic toxicity (chronic) of components of the mixture				
CAS No	Endpoint	Value	Species	Exposure time
868-77-9	EC50	90.1 mg/l	aquatic invertebrates	21 d
868-77-9	LC50	>100 mg/l	aquatic invertebrates	21 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

Color Ampule

Version number: SDS 2.0
 Replaces version of: 2022-01-15 (SDS 1)

Revision: 2023-03-12

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

- | | |
|--|--|
| 14.1 UN number | not subject to transport regulations |
| 14.2 UN proper shipping name | not relevant |
| 14.3 Transport hazard class(es) | none |
| 14.4 Packing group | not assigned |
| 14.5 Environmental hazards | non-environmentally hazardous acc. to the dangerous goods regulations |
| 14.6 Special precautions for user | There is no additional information. |
| 14.7 Transport in bulk according to IMO instruments | The cargo is not intended to be carried in bulk. |
| 14.8 Information for each of the UN Model Regulations | <p>Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information
 Not subject to transport regulations.</p> <p>International Maritime Dangerous Goods Code (IMDG) - Additional information
 Not subject to IMDG.</p> <p>International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information
 Not subject to ICAO-IATA.</p> |

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations specific for the product in question**
- National regulations (United States)**
- Toxic Substance Control Act (TSCA)** all ingredients are listed as "ACTIVE"
- Superfund Amendment and Reauthorization Act (SARA TITLE III)**
- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)
 none of the ingredients are listed
 - Specific Toxic Chemical Listings (EPCRA Section 313)
 none of the ingredients are listed
- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)**
- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)
 none of the ingredients are listed

Color Ampule

Version number: SDS 2.0
 Replaces version of: 2022-01-15 (SDS 1)

Revision: 2023-03-12

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

none of the ingredients are listed

- Toxic or Hazardous Substance List (MA-TURA)

none of the ingredients are listed

- Hazardous Substances List (MN-ERTK)

none of the ingredients are listed

- Hazardous Substance List (NJ-RTK)

none of the ingredients are listed

- Hazardous Substance List (Chapter 323) (PA-RTK)

none of the ingredients are listed

- Hazardous Substance List (RI-RTK)

none of the ingredients are listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Color Ampule

Version number: SDS 2.0
Replaces version of: 2022-01-15 (SDS 1)

Revision: 2023-03-12

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed as "ACTIVE"

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Actual entry (text/value)
2.2	- Precautionary statements: change in the listing (table)
2.2	- Hazardous ingredients for labelling: 2-hydroxyethyl methacrylate, 4,4'-Isopropylodenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2)
2.2	Derogations from labeling requirements
2.2	Labelling of packages where the contents do not exceed 125 ml
2.2	- Signal word: warning
2.2	- Hazard pictogram(s): change in the listing (table)
2.2	- Hazard statements: change in the listing (table)
2.2	- Precautionary statements: change in the listing (table)

Color Ampule

Version number: SDS 2.0
Replaces version of: 2022-01-15 (SDS 1)

Revision: 2023-03-12

Section	Actual entry (text/value)
2.2	- Contains: 2-hydroxyethyl methacrylate, 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2)
2.3	Hazards not otherwise classified: change in the listing (table)
2.3	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.
3.2	Description of the mixture: change in the listing (table)
8.1	Control parameters: Occupational exposure limit values (Workplace Exposure Limits) this information is not available
8.1	Relevant DNELs of components of the mixture: change in the listing (table)
8.1	Relevant PNECs of components of the mixture: change in the listing (table)
8.2	Respiratory protection: In case of inadequate ventilation wear respiratory protection. Filtering half mask (EN 149). P1 (filters at least 80 % of airborne particles, color code: White).
10.1	If heated: Exothermic polymerization
10.1	If exposed to light: Exothermic polymerization.
10.4	Conditions to avoid: UV-radiation/sunlight.
10.5	Incompatible materials: Oxidizers, Reducing agents
11.1	Acute toxicity: Shall not be classified as acutely toxic.
12.1	Aquatic toxicity (acute) of components of the mixture: change in the listing (table)
12.1	Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)
12.5	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.
12.6	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.
15.1	Toxic Substance Control Act (TSCA): all ingredients are listed as "ACTIVE"

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances

Color Ampule

Version number: SDS 2.0
Replaces version of: 2022-01-15 (SDS 1)

Revision: 2023-03-12

Abbr.	Descriptions of used abbreviations
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.